

jquery.js:8623 GET https://dde-us-south.analytics.ibm.com/daas/v1/data?moduleUrl=%2Fdaas%2Fv1%2Ftemp%2F963de11298554a38b9b69806f0896701&type=module&querySpec=%27B%22version%22%3A%221%22%2C%22dataItems%22%3A%5B%7B%22id%22%3A%22model000001635afa93e2_00000000%22%2C%22itemId%22%3A%22T1.Product_line%22%2C%22selection%22%3A%5B%7B%22operation%22%3A%22order%22%2C%22sort%22%3A%7B%22type%22%3A%22asc%22%2C%22priority%22%3A%221%7D%7D%5D%7D%2C%7B%22id%22%3A%22model000001635afa93e2_00000001%22%2C%22itemId%22%3A%22T1.Revenue%22%2C%22aggregate%22%3A%22sum%22%2C%22selection%22%3A%5B%5D%7D%5D%2C%22projections%22%3A%5B%22model000001635afa93e2_00000000%22%2C%22model000001635afa93e2_00000001%22%5D%2C%22limit%22%3A3000%2C%22filters%22%3A%5B%5D%2C%22queryHints%22%3A%7B%7D%7D 500 (Internal Server Error)
send @ jquery.js:8623
ajax @ jquery.js:8152
(anonymous) @ AjaxService.js:163
e._execute @ bluebird.min.js:29
i._resolveFromExecutor @ bluebird.min.js:30
i @ bluebird.min.js:30
i._sendRequest @ AjaxService.js:160
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._fulfill @ bluebird.min.js:30
i._resolveCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ liveWidgetBundle.js:23
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
load @ liveWidgetBundle.js:23

_loadVisView @ liveWidgetBundle.js:35
whenVisViewLoaded @ liveWidgetBundle.js:35
_whenRenderContextStepsComplete @ liveWidgetBundle.js:35
_render @ liveWidgetBundle.js:35
reRender @ liveWidgetBundle.js:35
render @ liveWidgetBundle.js:35
(anonymous) @ liveWidgetBundle.js:42
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3313
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:41
(anonymous) @ liveWidgetBundle.js:41
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
o @ bluebird.min.js:29
p.hasDevTools.r.invoke @ bluebird.min.js:29
i._then @ bluebird.min.js:30
i.then @ bluebird.min.js:30
_invokeLifecycleHandlers @ baseBundle.js:18
_onLoadWidget @ baseBundle.js:18
O @ underscore.js:694
r @ underscore.js:726
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
requirejs @ require.js:1
_loadWidget @ baseBundle.js:18

(anonymous) @ baseBundle.js:18
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
add @ jquery.js:3119
(anonymous) @ jquery.js:3229
each @ jquery.js:375
(anonymous) @ jquery.js:3226
Deferred @ jquery.js:3286
then @ jquery.js:3225
(anonymous) @ baseBundle.js:18
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._fulfill @ bluebird.min.js:30
i._resolveCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ baseBundle.js:13
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
load @ baseBundle.js:13
createLayoutModule @ consumeDashboardBundle.js:12850
onModelAddItem @ authorBundle.js:11
trigger @ baseBundle.js:15
_triggerEvent @ baseBundle.js:19
add @ baseBundle.js:18
addArray @ baseBundle.js:18
addWidget @ baseBundle.js:21
_addWidget @ authorBundle.js:11

_newDrop @ authorBundle.js:11
onDrop @ authorBundle.js:11
_dropTargetCallback @ baseBundle.js:23
upHandler @ baseBundle.js:23
dispatch @ jquery.js:4409
r.handle @ jquery.js:4095
polyglot.min.js:17 WARNING: Missing translation for key: "Query Service internal error has occurred, please see the log for details."
c @ polyglot.min.js:17
t.t @ polyglot.min.js:17
StringResources.get @ baseBundle.js:12
showError @ baseBundle.js:14
showError @ liveWidgetBundle.js:35
(anonymous) @ liveWidgetBundle.js:35
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:35
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:35
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:35
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ VIPRView.js:163
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ VisView.js:228
(anonymous) @ jquery.js:3230

j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:39
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:38
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
handleQueryError @ liveWidgetBundle.js:32
(anonymous) @ liveWidgetBundle.js:32
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:45
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._reject @ bluebird.min.js:30
i._rejectCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ AjaxService.js:173
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237

j @ jquery.js:3073
fireWith @ jquery.js:3185
x @ jquery.js:8253
(anonymous) @ jquery.js:8598
load (async)
send @ jquery.js:8615
ajax @ jquery.js:8152
(anonymous) @ AjaxService.js:163
e._execute @ bluebird.min.js:29
i._resolveFromExecutor @ bluebird.min.js:30
i @ bluebird.min.js:30
i._sendRequest @ AjaxService.js:160
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._fulfill @ bluebird.min.js:30
i._resolveCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ liveWidgetBundle.js:23
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
load @ liveWidgetBundle.js:23
_loadVisView @ liveWidgetBundle.js:35
whenVisViewLoaded @ liveWidgetBundle.js:35
_whenRenderContextStepsComplete @ liveWidgetBundle.js:35
_render @ liveWidgetBundle.js:35
reRender @ liveWidgetBundle.js:35
render @ liveWidgetBundle.js:35

(anonymous) @ liveWidgetBundle.js:42
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3313
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:41
(anonymous) @ liveWidgetBundle.js:41
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
o @ bluebird.min.js:29
p.hasDevTools.r.invoke @ bluebird.min.js:29
i._then @ bluebird.min.js:30
i.then @ bluebird.min.js:30
_invokeLifecycleHandlers @ baseBundle.js:18
_onLoadWidget @ baseBundle.js:18
O @ underscore.js:694
r @ underscore.js:726
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
requirejs @ require.js:1
_loadWidget @ baseBundle.js:18
(anonymous) @ baseBundle.js:18
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
add @ jquery.js:3119
(anonymous) @ jquery.js:3229
each @ jquery.js:375

(anonymous) @ jquery.js:3226
Deferred @ jquery.js:3286
then @ jquery.js:3225
(anonymous) @ baseBundle.js:18
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._fulfill @ bluebird.min.js:30
i._resolveCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ baseBundle.js:13
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
load @ baseBundle.js:13
createLayoutModule @ consumeDashboardBundle.js:12850
onModelAddItem @ authorBundle.js:11
trigger @ baseBundle.js:15
_triggerEvent @ baseBundle.js:19
add @ baseBundle.js:18
addArray @ baseBundle.js:18
addWidget @ baseBundle.js:21
_addWidget @ authorBundle.js:11
_newDrop @ authorBundle.js:11
onDrop @ authorBundle.js:11
_dropTargetCallback @ baseBundle.js:23
upHandler @ baseBundle.js:23
dispatch @ jquery.js:4409
r.handle @ jquery.js:4095


```
LogService.js:75 Arguments(3) ["An error occured while re-rendering", Arguments(1), Class,
callee: f, Symbol(Symbol.iterator): f] {stack: Array(15)}stack: Array(15)0: "at e.error
(https://dde-us-south.analytics.ibm.com/daas/js/daas-glass.js:6:30000)"1: "at
Class.<anonymous> (https://dde-us-south.analytics.ibm.com/daas/js/dashboard-
analytics/liveWidgetBundle.js:35:2599)"2: "at j (https://143a6.https.cdn.softlayer.net/cdn/wa-
3p/prod/common/jquery-2.1.1/dist/jquery.min.js:2:26860)"3: "at Object.fireWith [as
rejectWith] (https://143a6.https.cdn.softlayer.net/cdn/wa-3p/prod/common/jquery-
2.1.1/dist/jquery.min.js:2:27673)"4: "at Object.<anonymous>
(https://143a6.https.cdn.softlayer.net/cdn/wa-3p/prod/common/jquery-
2.1.1/dist/jquery.min.js:2:28354)"5: "at j (https://143a6.https.cdn.softlayer.net/cdn/wa-
3p/prod/common/jquery-2.1.1/dist/jquery.min.js:2:26860)"6: "at Object.fireWith [as
rejectWith] (https://143a6.https.cdn.softlayer.net/cdn/wa-3p/prod/common/jquery-
2.1.1/dist/jquery.min.js:2:27673)"7: "at Object.e.(anonymous function) [as reject]
(https://143a6.https.cdn.softlayer.net/cdn/wa-3p/prod/common/jquery-
2.1.1/dist/jquery.min.js:2:28653)"8: "at Object.<anonymous> (https://dde-us-
south.analytics.ibm.com/daas/js/dashboard-analytics/liveWidgetBundle.js:35:5926)"9: "at
Object.<anonymous> (https://143a6.https.cdn.softlayer.net/cdn/wa-3p/prod/common/jquery-
2.1.1/dist/jquery.min.js:2:28229)"10: "at j (https://143a6.https.cdn.softlayer.net/cdn/wa-
3p/prod/common/jquery-2.1.1/dist/jquery.min.js:2:26860)"11: "at Object.fireWith [as
rejectWith] (https://143a6.https.cdn.softlayer.net/cdn/wa-3p/prod/common/jquery-
2.1.1/dist/jquery.min.js:2:27673)"12: "at Object.e.(anonymous function) [as reject]
(https://143a6.https.cdn.softlayer.net/cdn/wa-3p/prod/common/jquery-
2.1.1/dist/jquery.min.js:2:28653)"13: "at Object.<anonymous> (https://dde-us-
south.analytics.ibm.com/daas/js/dashboard-analytics/liveWidgetBundle.js:35:6556)"14: "at
Object.<anonymous> (https://143a6.https.cdn.softlayer.net/cdn/wa-3p/prod/common/jquery-
2.1.1/dist/jquery.min.js:2:28229)"length: 15 __proto__: Array(0) __proto__: Object
e.error @ LogService.js:75
(anonymous) @ liveWidgetBundle.js:35
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:35
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:35
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
```

(anonymous) @ liveWidgetBundle.js:35
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ VIPRView.js:163
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ VisView.js:228
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:39
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:38
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
handleQueryError @ liveWidgetBundle.js:32
(anonymous) @ liveWidgetBundle.js:32
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:45
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29

r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._reject @ bluebird.min.js:30
i._rejectCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ AjaxService.js:173
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
x @ jquery.js:8253
(anonymous) @ jquery.js:8598
load (async)
send @ jquery.js:8615
ajax @ jquery.js:8152
(anonymous) @ AjaxService.js:163
e._execute @ bluebird.min.js:29
i._resolveFromExecutor @ bluebird.min.js:30
i @ bluebird.min.js:30
i._sendRequest @ AjaxService.js:160
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._fulfill @ bluebird.min.js:30
i._resolveCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ liveWidgetBundle.js:23
execCb @ require.js:1

check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
load @ liveWidgetBundle.js:23
_loadVisView @ liveWidgetBundle.js:35
whenVisViewLoaded @ liveWidgetBundle.js:35
_whenRenderContextStepsComplete @ liveWidgetBundle.js:35
_render @ liveWidgetBundle.js:35
reRender @ liveWidgetBundle.js:35
render @ liveWidgetBundle.js:35
(anonymous) @ liveWidgetBundle.js:42
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3313
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:41
(anonymous) @ liveWidgetBundle.js:41
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
o @ bluebird.min.js:29
p.hasDevTools.r.invoke @ bluebird.min.js:29
i._then @ bluebird.min.js:30
i.then @ bluebird.min.js:30
_invokeLifecycleHandlers @ baseBundle.js:18
_onLoadWidget @ baseBundle.js:18
O @ underscore.js:694
r @ underscore.js:726
execCb @ require.js:1
check @ require.js:1

enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
requirejs @ require.js:1
_loadWidget @ baseBundle.js:18
(anonymous) @ baseBundle.js:18
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
add @ jquery.js:3119
(anonymous) @ jquery.js:3229
each @ jquery.js:375
(anonymous) @ jquery.js:3226
Deferred @ jquery.js:3286
then @ jquery.js:3225
(anonymous) @ baseBundle.js:18
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._fulfill @ bluebird.min.js:30
i._resolveCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ baseBundle.js:13
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
load @ baseBundle.js:13

createLayoutModule @ consumeDashboardBundle.js:12850
onModelAddItem @ authorBundle.js:11
trigger @ baseBundle.js:15
_triggerEvent @ baseBundle.js:19
add @ baseBundle.js:18
addArray @ baseBundle.js:18
addWidget @ baseBundle.js:21
_addWidget @ authorBundle.js:11
_newDrop @ authorBundle.js:11
onDrop @ authorBundle.js:11
_dropTargetCallback @ baseBundle.js:23
upHandler @ baseBundle.js:23
dispatch @ jquery.js:4409
r.handle @ jquery.js:4095
polyglot.min.js:17 WARNING: Missing translation for key: "Query Service internal error has occurred, please see the log for details."
c @ polyglot.min.js:17
t.t @ polyglot.min.js:17
StringResources.get @ baseBundle.js:12
showError @ baseBundle.js:14
showError @ liveWidgetBundle.js:35
(anonymous) @ liveWidgetBundle.js:35
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ VIPRView.js:163
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ VisView.js:228
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:39
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:38

j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
handleQueryError @ liveWidgetBundle.js:32
(anonymous) @ liveWidgetBundle.js:32
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:45
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._reject @ bluebird.min.js:30
i._rejectCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ AjaxService.js:173
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
x @ jquery.js:8253
(anonymous) @ jquery.js:8598
load (async)
send @ jquery.js:8615
ajax @ jquery.js:8152
(anonymous) @ AjaxService.js:163
e._execute @ bluebird.min.js:29

i._resolveFromExecutor @ bluebird.min.js:30
i @ bluebird.min.js:30
i._sendRequest @ AjaxService.js:160
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._fulfill @ bluebird.min.js:30
i._resolveCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ liveWidgetBundle.js:23
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
load @ liveWidgetBundle.js:23
_loadVisView @ liveWidgetBundle.js:35
whenVisViewLoaded @ liveWidgetBundle.js:35
_whenRenderContextStepsComplete @ liveWidgetBundle.js:35
_render @ liveWidgetBundle.js:35
reRender @ liveWidgetBundle.js:35
render @ liveWidgetBundle.js:35
(anonymous) @ liveWidgetBundle.js:42
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3313
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:41
(anonymous) @ liveWidgetBundle.js:41

r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
o @ bluebird.min.js:29
p.hasDevTools.r.invoke @ bluebird.min.js:29
i._then @ bluebird.min.js:30
i.then @ bluebird.min.js:30
_invokeLifeCycleHandlers @ baseBundle.js:18
_onLoadWidget @ baseBundle.js:18
O @ underscore.js:694
r @ underscore.js:726
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
requirejs @ require.js:1
_loadWidget @ baseBundle.js:18
(anonymous) @ baseBundle.js:18
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
add @ jquery.js:3119
(anonymous) @ jquery.js:3229
each @ jquery.js:375
(anonymous) @ jquery.js:3226
Deferred @ jquery.js:3286
then @ jquery.js:3225
(anonymous) @ baseBundle.js:18
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30

r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._fulfill @ bluebird.min.js:30
i._resolveCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ baseBundle.js:13
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
load @ baseBundle.js:13
createLayoutModule @ consumeDashboardBundle.js:12850
onModelAddItem @ authorBundle.js:11
trigger @ baseBundle.js:15
_triggerEvent @ baseBundle.js:19
add @ baseBundle.js:18
addArray @ baseBundle.js:18
addWidget @ baseBundle.js:21
_addWidget @ authorBundle.js:11
_newDrop @ authorBundle.js:11
onDrop @ authorBundle.js:11
_dropTargetCallback @ baseBundle.js:23
upHandler @ baseBundle.js:23
dispatch @ jquery.js:4409
r.handle @ jquery.js:4095
LogService.js:75 Arguments(3) ["An error occurred while waiting for the data to be ready",
Arguments(1), Class, callee: f, Symbol(Symbol.iterator): f] {stack: Array(15)}
e.error @ LogService.js:75
(anonymous) @ liveWidgetBundle.js:35
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185

e.(anonymous function) @ jquery.js:3275
(anonymous) @ VIPRView.js:163
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ VisView.js:228
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:39
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:38
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
handleQueryError @ liveWidgetBundle.js:32
(anonymous) @ liveWidgetBundle.js:32
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:45
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29

p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._reject @ bluebird.min.js:30
i._rejectCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ AjaxService.js:173
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3237
j @ jquery.js:3073
fireWith @ jquery.js:3185
x @ jquery.js:8253
(anonymous) @ jquery.js:8598
load (async)
send @ jquery.js:8615
ajax @ jquery.js:8152
(anonymous) @ AjaxService.js:163
e._execute @ bluebird.min.js:29
i._resolveFromExecutor @ bluebird.min.js:30
i @ bluebird.min.js:30
i._sendRequest @ AjaxService.js:160
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._fulfill @ bluebird.min.js:30
i._resolveCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ liveWidgetBundle.js:23
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1

f @ require.js:1
load @ liveWidgetBundle.js:23
_loadVisView @ liveWidgetBundle.js:35
whenVisViewLoaded @ liveWidgetBundle.js:35
_whenRenderContextStepsComplete @ liveWidgetBundle.js:35
_render @ liveWidgetBundle.js:35
reRender @ liveWidgetBundle.js:35
render @ liveWidgetBundle.js:35
(anonymous) @ liveWidgetBundle.js:42
j @ jquery.js:3073
fireWith @ jquery.js:3185
(anonymous) @ jquery.js:3313
j @ jquery.js:3073
fireWith @ jquery.js:3185
e.(anonymous function) @ jquery.js:3275
(anonymous) @ liveWidgetBundle.js:41
(anonymous) @ liveWidgetBundle.js:41
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
o @ bluebird.min.js:29
p.hasDevTools.r.invoke @ bluebird.min.js:29
i._then @ bluebird.min.js:30
i.then @ bluebird.min.js:30
_invokeLifecycleHandlers @ baseBundle.js:18
_onLoadWidget @ baseBundle.js:18
O @ underscore.js:694
r @ underscore.js:726
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1

requirejs @ require.js:1
_loadWidget @ baseBundle.js:18
(anonymous) @ baseBundle.js:18
(anonymous) @ jquery.js:3230
j @ jquery.js:3073
add @ jquery.js:3119
(anonymous) @ jquery.js:3229
each @ jquery.js:375
(anonymous) @ jquery.js:3226
Deferred @ jquery.js:3286
then @ jquery.js:3225
(anonymous) @ baseBundle.js:18
r @ bluebird.min.js:31
i._settlePromiseFromHandler @ bluebird.min.js:30
i._settlePromise @ bluebird.min.js:30
i._settlePromise0 @ bluebird.min.js:30
i._settlePromises @ bluebird.min.js:30
r._drainQueue @ bluebird.min.js:29
r._drainQueues @ bluebird.min.js:29
drainQueues @ bluebird.min.js:29
Promise.then (async)
r @ bluebird.min.js:30
r._queueTick @ bluebird.min.js:29
s @ bluebird.min.js:29
p.hasDevTools.r.settlePromises @ bluebird.min.js:29
i._fulfill @ bluebird.min.js:30
i._resolveCallback @ bluebird.min.js:30
(anonymous) @ bluebird.min.js:30
(anonymous) @ baseBundle.js:13
execCb @ require.js:1
check @ require.js:1
enable @ require.js:1
init @ require.js:1
(anonymous) @ require.js:1
setTimeout (async)
req.nextTick @ require.js:1
f @ require.js:1
load @ baseBundle.js:13
createLayoutModule @ consumeDashboardBundle.js:12850
onModelAddItem @ authorBundle.js:11
trigger @ baseBundle.js:15
_triggerEvent @ baseBundle.js:19
add @ baseBundle.js:18
addArray @ baseBundle.js:18

addWidget @ baseBundle.js:21
_addWidget @ authorBundle.js:11
_newDrop @ authorBundle.js:11
onDrop @ authorBundle.js:11
_dropTargetCallback @ baseBundle.js:23
upHandler @ baseBundle.js:23
dispatch @ jquery.js:4409
r.handle @ jquery.js:4095