

## Fingerprint Zones Changing:

Before running image 2 thru Export:

```
<S>
  <P type="Main_Page">
    <V n="HostID">1354312</V>
    <V n="HostName">AMERICAN HERITAGE GROUP LLC</V>
    <F type="PO_Number">
      <V n="Position">1244,221,1441,256</V>
    </F>
    <F type="PO_Date">
      <V n="Position">1243,273,1405,319</V>
    </F>
    <F type="Sidemark">
      <V n="Position">329,2781,892,2827</V>
    </F>
    <F type="Location">
      <V n="Position">1246,395,1683,431</V>
    </F>
    <F type="Delivery_Date">
      <V n="Position">2096,213,2281,259</V>
    </F>
    <F type="NAC_Name">
      <V n="Position">323,2837,898,2886</V>
    </F>
    <F type="Page_No1">
      <V n="Position">90,90,210,210</V>
    </F>
    <F type="TIFF">
      <V n="Position">100,100,200,200</V>
    </F>
    <F type="Details">
      <V n="Position">0,1059,2547,3300</V>
    </F>
    <F type="ItemID">
      <V n="Position">178,1063,584,1114</V>
    </F>
    <F type="Qty">
      <V n="Position">1914,1061,2029,1120</V>
    </F>
    <F type="UOM">
      <V n="Position">1668,1063,1780,1122</V>
    </F>
    <F type="Price">
      <V n="Position">2109,1060,2234,1119</V>
    </F>
    <F type="Detail_Attachment">
      <V n="Position">1462,1070,1647,1123</V>
    </F>
    <F type="Lineitem">
      <V n="Position">0,1060,2547,1123</V>
    </F>
  </P>
</S>
```

After running image 2 thru Export:

```
<S>
  <P type="Main_Page">
    <V n="HostID">1354312</V>
    <V n="HostName">AMERICAN HERITAGE GROUP LLC</V>
    <F type="PO_Number">
      <V n="Position">1244,235,1440,270</V>
    </F>
    <F type="PO_Date">
      <V n="Position">1241,288,1405,334</V>
    </F>
    <F type="Sidemark">
      <V n="Position">335,2798,777,2834</V>
    </F>
    <F type="Location">
      <V n="Position">1244,409,1365,444</V>
    </F>
    <F type="Delivery_Date">
      <V n="Position">2095,225,2278,269</V>
    </F>
    <F type="NAC_Name">
      <V n="Position">336,2859,729,2894</V>
    </F>
    <F type="Page_No1">
      <V n="Position">90,106,210,226</V>
    </F>
    <F type="TIFF">
      <V n="Position">100,116,200,216</V>
    </F>
    <F type="Details">
      <V n="Position">0,1079,2548,3300</V>
    </F>
    <F type="ItemID">
      <V n="Position">191,1087,533,1116</V>
    </F>
    <F type="Qty">
      <V n="Position">1932,1080,2022,1107</V>
    </F>
    <F type="UOM">
      <V n="Position">1692,1081,1763,1116</V>
    </F>
    <F type="Price">
      <V n="Position">2153,1080,2223,1107</V>
    </F>
    <F type="Detail_Attachment">
      <V n="Position">1462,1070,1647,1123</V>
    </F>
    <F type="Lineitem">
      <V n="Position">0,1080,2548,1116</V>
    </F>
  </P>
</S>
```

## Snippet of Export Log for Image 2 Wed Apr 18 09:08:52 2018

```
-----
09:08:52.239 rule "Page Rule - Intellocate with FPXML"
09:08:52.239 Set DCLogX
09:08:52.239 Set MaxWaitTime
09:08:52.239 Set MaxWaitTime
09:08:52.239 func "Bypass Split 1"
09:08:52.239 action rrCompare ("%TASKNAME%", "Batch Profiler")
09:08:52.239 hr_locale = en-US
09:08:52.239 DCSmart Metaword sArgument: @TASKNAME
09:08:52.239 1 Smart Parameter element found
09:08:52.239 Parsing Smart Parameter element {0} value: "@TASKNAME"
09:08:52.239 matched '@' index 0
09:08:52.239 sArg: @TASKNAME.
```

```
09:08:52.239 Smart Parameter return value: 'Export'
09:08:52.239 DCSmart Metaword sArgument: Batch Profiler
09:08:52.239 Smart Parameter return value: ''
09:08:52.239 Case Sensitive = 'TRUE' Comparing: 'Export' = 'Batch Profiler'
09:08:52.239         result 1[1] = false
09:08:52.239         action returned false
09:08:52.239         /action
09:08:52.239         func result: "false"
09:08:52.239         /func
09:08:52.239         func "Bypass Split 2"
09:08:52.239         action rrCompare ("%TASKNAME","Batch Profiler")
09:08:52.239 hr_locale = en-US
09:08:52.239 DCSmart Metaword sArgument: @TASKNAME
09:08:52.239 1 Smart Parameter element found
09:08:52.239 Parsing Smart Parameter element {0} value: "@TASKNAME"
09:08:52.239 matched '@' index 0
09:08:52.239 sArg: @TASKNAME.
09:08:52.239 Smart Parameter return value: 'Export'
09:08:52.239 DCSmart Metaword sArgument: Batch Profiler
09:08:52.239 Smart Parameter return value: ''
09:08:52.239 Case Sensitive = 'TRUE' Comparing: 'Export' = 'Batch Profiler'
09:08:52.239         result 1[1] = false
09:08:52.239         action returned false
09:08:52.239         /action
09:08:52.239         func result: "false"
09:08:52.239         /func
09:08:52.239         func "New FingerPrint Function"
09:08:52.239         action SetDirectoryFPX ("%APPATH(fingerprint)")
09:08:52.254         load rrx code: "c:\datacap\rrs\fpxml.dll"
09:08:52.254 FPXML action library version 9.1.0.18
09:08:52.254         /load
09:08:52.254 hr_locale = en-US
09:08:52.254 DCSmart Metaword sArgument: @APPATH(fingerprint)
09:08:52.254 1 Smart Parameter element found
09:08:52.254 Parsing Smart Parameter element {0} value: "@APPATH(fingerprint)"
09:08:52.254 matched '@' index 0
```

09:08:52.254 sArg: @APPPATH.  
09:08:52.254 @APPPATH key root value: 'fingerprint'  
09:08:52.254 @APPPATH looking for workflow key: '\*/dco\_IChiefCO\_CRP\_Emser/fingerprint'  
09:08:52.254 workflow key NOT found.  
09:08:52.254 @APPPATH looking for appname key: '\*/dco\_IChiefCO\_CRP\_Emser/fingerprint'  
09:08:52.254 appname key NOT found.  
09:08:52.254 @APPPATH looking for general key: '\*/fingerprint'  
09:08:52.254 general key found: '\\DC1IC02\Datacap\IChiefCO\_CRP\_Emser\fingerprint'  
09:08:52.254 Smart Parameter return value: '\\DC1IC02\Datacap\IChiefCO\_CRP\_Emser\fingerprint'  
09:08:52.254 Fingerprint directory set to '\\DC1IC02\Datacap\IChiefCO\_CRP\_Emser\fingerprint\  
09:08:52.254 action returned true  
09:08:52.254 /action  
09:08:52.254 action SetDetailsAndLineitemPairFPX ("Details,Lineitem")  
09:08:52.254 hr\_locale = en-US  
09:08:52.254 DCSmart Metaword sArgument: Details  
09:08:52.254 Smart Parameter return value: ''  
09:08:52.254 DCSmart Metaword sArgument: Lineitem  
09:08:52.254 Smart Parameter return value: ''  
09:08:52.254 Detail field type set to Details  
09:08:52.254 Lineitem field type set to Lineitem  
09:08:52.254 action returned true  
09:08:52.254 /action  
09:08:52.254 action rrCompare ("@F\Add\_New\_Fingerprint","Yes")  
09:08:52.254 hr\_locale = en-US  
09:08:52.254 DCSmart Metaword sArgument: @F\Add\_New\_Fingerprint  
09:08:52.254 1 Smart Parameter element found  
09:08:52.254 Parsing Smart Parameter element {0} value: "@F\Add\_New\_Fingerprint"  
09:08:52.254 matched '@' index 0  
09:08:52.254 sArg: @F\ADD\_NEW\_FINGERPRINT.  
09:08:52.254 No MetaWord key match: calling DCONavGetValue(@F\Add\_New\_Fingerprint)  
09:08:52.254 DCOFindVar: looking for a variable in string: '@F\Add\_New\_Fingerprint'  
09:08:52.254 No RegEx Pattern '[-\p{L}\p{N}\_ ]\.[-\p{L}\p{N}\_ ]+\$' Matches in:  
'@F\Add\_New\_Fingerprint' found.  
09:08:52.254 CurrentDCO Object ID: TM000001  
09:08:52.254 Calling Object ID: TM000001  
09:08:52.254 Eval Node '@F'

09:08:52.254 The Root Field Node (@F) in search '@F\Add\_New\_Fingerprint' could not be found in calling DCO Route:'B/D(20180418.000026.01)/P(TM000001)'

09:08:52.254 Node is NULL

09:08:52.254 dconavegetvalue returns

09:08:52.254 Smart Parameter return value: ''

09:08:52.254 DCSmart Metaword sArgument: Yes

09:08:52.254 Smart Parameter return value: ''

09:08:52.254 Case Sensitive = 'TRUE' Comparing: '' = 'Yes'

09:08:52.254 result 1[1] = false

09:08:52.254 action returned false

09:08:52.254 /action

09:08:52.254 func result: "false"

09:08:52.254 Function esec='0.01563'

09:08:52.254 /func

09:08:52.254 func "Add\_New Yes Function"

09:08:52.254 action rrCompare ("@F\Add\_New\_Fingerprint","Yes")

09:08:52.254 hr\_locale = en-US

09:08:52.254 DCSmart Metaword sArgument: @F\Add\_New\_Fingerprint

09:08:52.254 1 Smart Parameter element found

09:08:52.254 Parsing Smart Parameter element {0} value: "@F\Add\_New\_Fingerprint"

09:08:52.254 matched '@' index 0

09:08:52.254 sArg: @F\ADD\_NEW\_FINGERPRINT.

09:08:52.254 No MetaWord key match: calling DCONavGetValue(@F\Add\_New\_Fingerprint)

09:08:52.254 DCOFindVar: looking for a variable in string: '@F\Add\_New\_Fingerprint'

09:08:52.254 No RegEx Pattern '[-\p{L}\p{N}\_\ ]\.[-\p{L}\p{N}\_\ ]+\$' Matches in: '@F\Add\_New\_Fingerprint' found.

09:08:52.254 CurrentDCO Object ID: TM000001

09:08:52.254 Calling Object ID: TM000001

09:08:52.254 Eval Node '@F'

09:08:52.254 The Root Field Node (@F) in search '@F\Add\_New\_Fingerprint' could not be found in calling DCO Route:'B/D(20180418.000026.01)/P(TM000001)'

09:08:52.254 Node is NULL

09:08:52.254 dconavegetvalue returns

09:08:52.254 Smart Parameter return value: ''

09:08:52.254 DCSmart Metaword sArgument: Yes

09:08:52.254 Smart Parameter return value: ''

09:08:52.254 Case Sensitive = 'TRUE' Comparing: '' = 'Yes'

09:08:52.254 result 1[1] = false

```
09:08:52.254         action returned false
09:08:52.254         /action
09:08:52.254         func result: "false"
09:08:52.254         /func
09:08:52.254         func "DCO Status 75 Function"
09:08:52.254         action ChkDCOStatus ("75")
09:08:52.254 hr_locale = en-US
09:08:52.254 Current Component Status='73'
09:08:52.254         result 1[1] = false
09:08:52.254         action returned false
09:08:52.254         /action
09:08:52.254         func result: "false"
09:08:52.254         /func
09:08:52.254         func "Check for deleted fingerprint from Previous Function"
09:08:52.254         action ChkDCOStatus ("75")
09:08:52.254 hr_locale = en-US
09:08:52.254 Current Component Status='73'
09:08:52.254         result 1[1] = false
09:08:52.254         action returned false
09:08:52.254         /action
09:08:52.254         func result: "false"
09:08:52.254         /func
09:08:52.254         func "Rotation Function"
09:08:52.254         action rrCompareNot ("@EMPTY","@P.Rotation")
09:08:52.254 hr_locale = en-US
09:08:52.254 DCSSmart Metaword sArgument: @EMPTY
09:08:52.254 1 Smart Parameter element found
09:08:52.254 Parsing Smart Parameter element {0} value: "@EMPTY"
09:08:52.254 matched '@' index 0
09:08:52.254 sArg: @EMPTY.
09:08:52.254 Smart Parameter return value: ''
09:08:52.254 DCSSmart Metaword sArgument: @P.Rotation
09:08:52.254 1 Smart Parameter element found
09:08:52.254 Parsing Smart Parameter element {0} value: "@P.Rotation"
09:08:52.254 matched '@' index 0
09:08:52.254 sArg: @P.ROTATION.
```

09:08:52.254 No MetaWord key match: calling DCONavGetValue(@P.Rotation)  
09:08:52.254 DCOFindVar: looking for a variable in string: '@P.Rotation'  
09:08:52.254 Detected a variable 'Rotation' in the search node value.  
09:08:52.254 CurrentDCO Object ID: TM000001  
09:08:52.254 Calling Object ID: TM000001  
09:08:52.254 Eval Node '@P.Rotation'  
09:08:52.254 A Variable value is in the node list! (Remove)  
09:08:52.254 New Node List:''  
09:08:52.254 DCONav returning node having ID of:'TM000001'  
09:08:52.254 Looking for existance of variable or property: 'Rotation'.  
09:08:52.254 Searching DCO properties for: 'Rotation'  
09:08:52.254 Rotation is not a recognisable @DCO Smart Parameter property.  
09:08:52.254 DCOProps returns:''  
09:08:52.254 dconavegetvalue returns  
09:08:52.254 Smart Parameter return value: ''  
09:08:52.254 Case Sensitive = 'TRUE' Comparing: '' = ''  
09:08:52.254                   result 1[1] = false  
09:08:52.254                   action returned false  
09:08:52.254                   /action  
09:08:52.254                   func result: "false"  
09:08:52.254                   /func  
09:08:52.254                   func "Check for deleted fingerprint from Previous Function"  
09:08:52.254                   action rrCompareNot ("@EMPTY","@P.Rotation")  
09:08:52.254 hr\_locale = en-US  
09:08:52.254 DCSmart Metaword sArgument: @EMPTY  
09:08:52.254 1 Smart Parameter element found  
09:08:52.254 Parsing Smart Parameter element {0} value: "@EMPTY"  
09:08:52.254 matched '@' index 0  
09:08:52.254 sArg: @EMPTY.  
09:08:52.254 Smart Parameter return value: ''  
09:08:52.254 DCSmart Metaword sArgument: @P.Rotation  
09:08:52.254 1 Smart Parameter element found  
09:08:52.254 Parsing Smart Parameter element {0} value: "@P.Rotation"  
09:08:52.254 matched '@' index 0  
09:08:52.254 sArg: @P.ROTATION.  
09:08:52.254 No MetaWord key match: calling DCONavGetValue(@P.Rotation)

09:08:52.254 DCOFindVar: looking for a variable in string: '@P.Rotation'  
09:08:52.254 Detected a variable 'Rotation' in the search node value.  
09:08:52.254 CurrentDCO Object ID: TM000001  
09:08:52.254 Calling Object ID: TM000001  
09:08:52.254 Eval Node '@P.Rotation'  
09:08:52.254 A Variable value is in the node list! (Remove)  
09:08:52.254 New Node List:''  
09:08:52.254 DCONav returning node having ID of:'TM000001'  
09:08:52.254 Looking for existance of variable or property: 'Rotation'.  
09:08:52.254 Searching DCO properties for: 'Rotation'  
09:08:52.254 Rotation is not a recognisable @DCO Smart Parameter property.  
09:08:52.254 DCOProps returns:''  
09:08:52.254 dconavegetvalue returns  
09:08:52.254 Smart Parameter return value: ''  
09:08:52.254 Case Sensitive = 'TRUE' Comparing: '' = ''  
09:08:52.254                   result 1[1] = false  
09:08:52.254                   action returned false  
09:08:52.254                   /action  
09:08:52.254                   func result: "false"  
09:08:52.270 Function esec='0.01563'  
09:08:52.270                   /func  
09:08:52.270                   func "New Fingerprint "  
09:08:52.270                   action IsFingerPrintClass ("@APPVAR(\*//fingerprintconn:cs)+,<New>")  
09:08:52.270                   load rrx code: "c:\datacap\rrs\invoice.dll"  
09:08:52.301                   load rrx code: "c:\datacap\rrs\lookup.dll"  
09:08:52.301 Lookup version 9.0.4.42  
09:08:52.301                   /load  
09:08:52.317 Invoice version 9.1.1.37  
09:08:52.317                   /load  
09:08:52.317 hr\_locale = en-US  
09:08:52.317 DCSmart Metaword sArgument: @APPVAR(\*//fingerprintconn:cs)+  
09:08:52.317 2 Smart Parameter elements found  
09:08:52.317 Parsing Smart Parameter element {0} value: "@APPVAR(\*//fingerprintconn:cs)"  
09:08:52.317 matched '@' index 0  
09:08:52.317 sArg: @APPVAR.  
09:08:52.317 @APPVAR key root value: '\*//fingerprintconn:cs'

```
09:08:52.317 @APPVAR looking for workflow key: '*/dco_IChiefCO_CRP_Emser/fingerprintconn:cs'
09:08:52.317 workflow key found:
'[secured]01ac5433fd1c927714fe8ec45bb3b305ecfd6e579262c35fa98d28ab98b39de340072110d67b8f6d0eb4e7f
a98187181b17dbcd6a5985287ec6180015137ebb4de482424ee342630cddefd9521bd1e59c9b05ab99f9e96dcea5be2d6
884c9c3b124e708f3f8943e609684dcac39bcaa53a123c18d83ee5dc1ffe0d3dbb68dfcc67fbb82c8cc42d96fd3b91438
0a66eeabf5f0b42200417c913c9be151187b3b1cff066e6c77f1f6b9c9e6d9b8e9dfb18bb7fbb7c937633824e85c124d
8ee888f8903ba611a2cc025944e6a4c3ac7d1a65[/secured]'
```

```
09:08:52.317 Smart Parameter return value:
'[secured]01ac5433fd1c927714fe8ec45bb3b305ecfd6e579262c35fa98d28ab98b39de340072110d67b8f6d0eb4e7f
a98187181b17dbcd6a5985287ec6180015137ebb4de482424ee342630cddefd9521bd1e59c9b05ab99f9e96dcea5be2d6
884c9c3b124e708f3f8943e609684dcac39bcaa53a123c18d83ee5dc1ffe0d3dbb68dfcc67fbb82c8cc42d96fd3b91438
0a66eeabf5f0b42200417c913c9be151187b3b1cff066e6c77f1f6b9c9e6d9b8e9dfb18bb7fbb7c937633824e85c124d
8ee888f8903ba611a2cc025944e6a4c3ac7d1a65[/secured]'
```

```
09:08:52.317 DB Connection Open.
09:08:52.317 sSQL=Select tp_HostID from Template where tp_TemplateID = 1868;
09:08:52.317 Returned: 351

09:08:52.317 Retn: 351
09:08:52.317 sSQL=Select hs_RefName from Host where hs_HostID = 351;
09:08:52.317 Retn='AMERICAN HERITAGE GROUP LLC' Second Parameter='<New>'
09:08:52.317 result 1[1] = false
09:08:52.317 action returned false
09:08:52.317 /action
09:08:52.317 func result: "false"
09:08:52.317 Function esec='0.04688'
09:08:52.317 /func
09:08:52.317 func "LearnZones"
09:08:52.317 action Learn_ZonesFPX ()
09:08:52.333 load rrx code:
"\\dclic02\datacap\ichiefco_crp_emser\dco_ichiefco_crp_emser\rules\intellocate_learning.rrx"
09:08:52.333 Intellocate_Learning Actions 8.0.1.06
09:08:52.333 /load
09:08:52.333 hr_locale = en-US
09:08:52.333 Setup Object is received. SetupObj has path
\\DC1IC02\Datacap\IChiefCO_CRP_Emser\dco_IChiefCO_CRP_Emser\IChiefCO_CRP_Emser.xml
09:08:52.333 TemplateID: 1868
09:08:52.333 x: 0
09:08:52.333 y: -16
09:08:52.333 Marking Details zone for save
09:08:52.333 Processing: ItemID
09:08:52.333 Using FindDetails position
09:08:52.333 Processing: Qty
```



09:08:52.333 Using FindDetails position  
09:08:52.333 Processing: UOM  
09:08:52.333 Using FindDetails position  
09:08:52.333 Processing: Price  
09:08:52.333 Using FindDetails position  
09:08:52.333 Processing: Detail\_Attachment  
09:08:52.333 Using FindDetails position  
09:08:52.333 Processing: ItemStatus  
09:08:52.333 Using FindDetails position  
09:08:52.333 Learning Zone For: Details  
09:08:52.333 Field Position:0,1079,2548,3300  
09:08:52.333 x: 0 y: -16  
09:08:52.333 NewPos: 0,1063,2548,3284  
09:08:52.333 Pos1868 - 0,1079,2548,3300  
09:08:52.333 fixed blank variable  
09:08:52.333 Learning Zone For: Lineitem0  
09:08:52.333 Field Position:0,1080,2548,1116  
09:08:52.333 x: 0 y: -16  
09:08:52.333 NewPos: 0,1064,2548,1100  
09:08:52.333 Pos1868 - 0,1080,2548,1116  
09:08:52.333 fixed blank variable  
09:08:52.333 Learning Zone For: ItemID  
09:08:52.333 Field Position:191,1087,533,1116  
09:08:52.333 x: 0 y: -16  
09:08:52.333 NewPos: 191,1071,533,1100  
09:08:52.333 Pos1868 - 191,1087,533,1116  
09:08:52.333 fixed blank variable  
09:08:52.333 Learning Zone For: Qty  
09:08:52.333 Field Position:1932,1080,2022,1107  
09:08:52.333 x: 0 y: -16  
09:08:52.333 NewPos: 1932,1064,2022,1091  
09:08:52.333 Pos1868 - 1932,1080,2022,1107  
09:08:52.333 fixed blank variable  
09:08:52.333 Learning Zone For: UOM  
09:08:52.333 Field Position:1692,1081,1763,1116  
09:08:52.333 x: 0 y: -16

09:08:52.333 NewPos: 1692,1065,1763,1100  
09:08:52.333 Pos1868 - 1692,1081,1763,1116  
09:08:52.333 fixed blank variable  
09:08:52.333 Learning Zone For: Price  
09:08:52.333 Field Position:2153,1080,2223,1107  
09:08:52.333 x: 0 y: -16  
09:08:52.333 NewPos: 2153,1064,2223,1091  
09:08:52.333 Pos1868 - 2153,1080,2223,1107  
09:08:52.333 fixed blank variable  
09:08:52.333 fixed blank variable  
09:08:52.333 action returned true  
09:08:52.333 /action  
09:08:52.333 action WriteZonesFPX ("@P\Customer,@P\Customer\_Number")  
09:08:52.333 hr\_locale = en-US  
09:08:52.333 DCSSmart Metaword sArgument: @P\Customer  
09:08:52.333 1 Smart Parameter element found  
09:08:52.333 Parsing Smart Parameter element {0} value: "@P\Customer"  
09:08:52.333 matched '@' index 0  
09:08:52.333 sArg: @P\CUSTOMER.  
09:08:52.333 No MetaWord key match: calling DCONavGetValue(@P\Customer)  
09:08:52.333 DCOFindVar: looking for a variable in string: '@P\Customer'  
09:08:52.333 No RegEx Pattern '[-\p{L}\p{N}\_\ ]\.\[-\p{L}\p{N}\_\ ]+\$' Matches in: '@P\Customer'  
found.  
09:08:52.333 CurrentDCO Object ID: TM000001  
09:08:52.333 Calling Object ID: TM000001  
09:08:52.333 Eval Node '@P'  
09:08:52.333 Eval Node 'Customer'  
09:08:52.333 Finding Child 'Customer' ...  
09:08:52.333 Found child 'Customer'  
09:08:52.333 DCONav returning node having ID of:'Customer'  
09:08:52.333 Finding Dictionary assigned to DCO Node:'Customer'  
09:08:52.333 Dictionary: ''  
09:08:52.333 RecogType: ''  
09:08:52.333 This DCO does not have an assigned Dictionary or is not an OMR type Field.  
09:08:52.333 dconavegetvalue returns AMERICAN HERITAGE GROUP LLC  
09:08:52.333 Smart Parameter return value: 'AMERICAN HERITAGE GROUP LLC'  
09:08:52.333 DCSSmart Metaword sArgument: @P\Customer\_Number

09:08:52.333 1 Smart Parameter element found  
09:08:52.333 Parsing Smart Parameter element {0} value: "@P\Customer\_Number"  
09:08:52.333 matched '@' index 0  
09:08:52.333 sArg: @P\CUSTOMER\_NUMBER.  
09:08:52.333 No MetaWord key match: calling DCONavGetValue(@P\Customer\_Number)  
09:08:52.333 DCOFindVar: looking for a variable in string: '@P\Customer\_Number'  
09:08:52.333 No RegEx Pattern '[-\p{L}\p{N}\_\ ]\.[-\p{L}\p{N}\_\ ]+\$' Matches in: '@P\Customer\_Number' found.  
09:08:52.333 CurrentDCO Object ID: TM000001  
09:08:52.333 Calling Object ID: TM000001  
09:08:52.333 Eval Node '@P'  
09:08:52.333 Eval Node 'Customer\_Number'  
09:08:52.333 Finding Child 'Customer\_Number' ...  
09:08:52.333 Found child 'Customer\_Number'  
09:08:52.333 DCONav returning node having ID of:'Customer\_Number'  
09:08:52.333 Finding Dictionary assigned to DCO Node:'Customer\_Number'  
09:08:52.333 Dictionary: ''  
09:08:52.333 RecogType: ''  
09:08:52.333 This DCO does not have an assigned Dictionary or is not an OMR type Field.  
09:08:52.333 dconavegetvalue returns 1354312  
09:08:52.333 Smart Parameter return value: '1354312'  
09:08:52.333 Fingerprint ID 1868  
09:08:52.333 Fingerprint directory : \\DC1IC02\Datacap\IChiefCO\_CRP\_Emser\fingerprint\  
09:08:52.333 Fingerprint page type set to Main\_Page  
09:08:52.333 Fingerprint host name set to AMERICAN HERITAGE GROUP LLC  
09:08:52.333 Fingerprint host id set to 1354312  
09:08:52.333 Saving zones...  
09:08:52.333 Writing zones for field PO\_Number  
09:08:52.333 Writing zones for field PO\_Date  
09:08:52.333 Writing zones for field Sidemark  
09:08:52.333 Writing zones for field Location  
09:08:52.333 Writing zones for field Delivery\_Date  
09:08:52.333 Writing zones for field NAC\_Name  
09:08:52.333 Writing zones for field Page\_No1  
09:08:52.333 Writing zones for field TIFF  
09:08:52.333 Writing Detail Field: Details,Details  
09:08:52.333 Details contains 13 variable with possible line item positions.

09:08:52.333 Writing zones for field Details  
09:08:52.333 Variable TYPE is not a position variable (POS- or LineItemPos). Skipping...  
09:08:52.333 Variable Position is not a position variable (POS- or LineItemPos). Skipping...  
09:08:52.333 Variable STATUS is not a position variable (POS- or LineItemPos). Skipping...  
09:08:52.333 Saving special Lineitem field. Value: 0,1080,2548,1116  
09:08:52.333 Variable POS-ItemID is a position variable. Processing...  
09:08:52.333 Saving positions for field ItemID: 191,1087,533,1116  
09:08:52.333 Saved.  
09:08:52.333 Variable POS-Qty is a position variable. Processing...  
09:08:52.333 Saving positions for field Qty: 1932,1080,2022,1107  
09:08:52.333 Saved.  
09:08:52.333 Variable POS-UOM is a position variable. Processing...  
09:08:52.333 Saving positions for field UOM: 1692,1081,1763,1116  
09:08:52.333 Saved.  
09:08:52.333 Variable POS-Price is a position variable. Processing...  
09:08:52.333 Saving positions for field Price: 2153,1080,2223,1107  
09:08:52.333 Saved.  
09:08:52.333 Variable POS-Detail\_Attachment is a position variable. Processing...  
09:08:52.333 Variable PreVerify Val is not a position variable (POS- or LineItemPos).  
Skipping...  
09:08:52.333 Variable PreVerify Pos is not a position variable (POS- or LineItemPos).  
Skipping...  
09:08:52.333 Variable label is not a position variable (POS- or LineItemPos). Skipping...  
09:08:52.333 Variable POS-ItemStatus is a position variable. Processing...  
09:08:52.348 Finished saving zones.  
09:08:52.348                   action returned true  
09:08:52.348 Action esec='0.01563'  
09:08:52.348                   /action  
09:08:52.348                   func result: "true"  
09:08:52.348 Function esec='0.03125'  
09:08:52.348                   /func  
09:08:52.348 DocCount 1, PageCount 1  
09:08:52.348 OVERRIDEABLE:True  
09:08:52.348 Rule esec='0.10938'  
09:08:52.348                   rule result: "true"  
09:08:52.348                   /rule  
09:08:52.348 /ruleset

09:08:52.348 ruleset: